

Levee

EMI Shielding Fingerstock for Shielded Doors




Levee EMI shielding fingerstrip is specifically designed for use in shielded doors of wide range of shielding environments, ensures continuous electrical conductivity, effectively preventing electromagnetic leakage.

Manufactured from high-quality material, features excellent elasticity, durability, maintains stable contact pressure over long-term operation, even under frequent opening and closing cycles.


Various profiles are available to accommodate different door structures and installation requirements. Provide original colors and nickel plating

97-438/97-440




Model	A	B	C	R	P	S	T
97-438	27.686	6.35	6.85	3.6	9.525	1.016	0.127
97-440	41.4	10.414	7.3	3.6	12.7	1.016	0.178


97-640



97-535L




D35/A35




Model	A	B	C	D	S	P	T	L
A35	19	14.5	10.5	5	0.6	10	0.1	200
D35	30	17	11.3	7.15	0.9	11	0.15	398

D40/A40




Model	A	B	C	D	S	P	T	L
A40	17	4	10	1.7	0.6	10	0.1	200
D40	26.5	10	10.7	3	0.9	11	0.15	398


535





534





788




178





396





97-440Z




97-640-K2





97-650CC-K3






97-750CC-JLD





2605-03






2803-01



97-4380LB





97-7400LN-K3





Levee

EMI Shielding Fingerstock for Shielded Doors



2803-JLD



C35



C40



C40ZL

